

Client # required

Person Completing Requisition		
Institution	Client	
Dept	Physician #	
Address		
City	ST	ZIP
Phone (Lab)	Phone (Physician)	



**WISCONSIN IMMUNOHEMATOLOGY REFERENCE LAB**  
 Phone 800-245-3117 x6205  
 Fax (414) 937-6461

<b>Patient/Sample Name</b>	Last	First	MI
MR #	Accession #		SSN - -
DOB / /	Gender	<input type="checkbox"/> M <input type="checkbox"/> F	Ethnicity <input type="checkbox"/> Caucasian <input type="checkbox"/> African American <input type="checkbox"/> Hispanic <input type="checkbox"/> Asian <input type="checkbox"/> Ashkenazi Jewish <input type="checkbox"/> Other
Specimen Type	<input type="checkbox"/> EDTA/ Plasma <input type="checkbox"/> Clot tube/Serum <input type="checkbox"/> Other _____		Draw Date
Fetal Specimen Type	<input type="checkbox"/> Amniotic Fluid <input type="checkbox"/> Cultured Amniocytes <input type="checkbox"/> CVS <input type="checkbox"/> Cultured CVS <input type="checkbox"/> Fetal Blood <input type="checkbox"/> Other _____		Draw Time
Special Reporting Requests:		PO#:	Phleb ID:

**Medicare**

Is testing for outpatient Medicare enrollee or Wisconsin Medicaid recipient? **Yes**  **No**   
 If yes, please complete our **beneficiary form** located at [www.versiti.org/medical-professionals/products-services/requisitions](http://www.versiti.org/medical-professionals/products-services/requisitions) and submit with this requisition.

**Preliminary Results will be faxed to:** \_\_\_\_\_ **Results needed by (Date):** \_\_\_\_\_

**CLINICAL HISTORY:** Diagnosis: \_\_\_\_\_ Hgb/Hct: \_\_\_\_\_

Indication for Transfusion: \_\_\_\_\_ Total Number of Pregnancies: \_\_\_\_\_ (including miscarriages and abortions)

Known Antibodies: \_\_\_\_\_

Prior Transfusions:  Yes  No Patient Status:  Inpatient  Outpatient

Most recent date transfused: \_\_\_\_\_ # Units Transfused: \_\_\_\_\_ ABO/Rh of units: \_\_\_\_\_

**SEROLOGY**

**PLEASE ENCLOSE A COPY OF YOUR ABO/Rh, DAT, ANTIBODY SCREEN AND PANEL RESULTS**

- Antibody Identification (3060)  Antibody Titration (3080)  DAT Negative Workup (3111)  Donath Landsteiner
- Thermal Amplitude  Other (please specify) (3112) \_\_\_\_\_
- Drug-Dependent RBC Antibody Study (3110) – Drug: \_\_\_\_\_

**Please complete MEDICATION section on back of form (send >500 mg of suspected drug. Do not reconstitute.)**

Crossmatch Problem (IRL to crossmatch units) (3050) **Patient ID # used for transfusion:** \_\_\_\_\_

Number of units needed: Leuko-reduced RBC \_\_\_\_\_  CMV Neg  Irradiate  Other \_\_\_\_\_

PRENATAL (Fetal/Paternal) GENOTYPING	MOLECULAR
Maternal Blood for MCC <u>must be submitted</u> with fetal sample	<input type="checkbox"/> Weak RhD Analysis (3040)
Maternal Antibody(ies)	<input type="checkbox"/> Partial RhD Analysis (3240)
Paternal Name: _____ DOB: _____	<input type="checkbox"/> Red Cell Genotyping Panel (44 Antigens) (3530)
Paternal Blood (Recommended) Paternal Type (if known): _____ <input type="checkbox"/> N/A	Comments:
<input type="checkbox"/> RHD (3872) <input type="checkbox"/> M/N (3864) <input type="checkbox"/> Js(a)/Js(b) (3858)	
<input type="checkbox"/> K/k (3854) <input type="checkbox"/> Fy(a)/Fy(b) (3860) <input type="checkbox"/> Lu(a)/Lu(b) (3868)	
<input type="checkbox"/> C/c (3850) <input type="checkbox"/> Jk(a)/Jk(b) (3862) <input type="checkbox"/> Kp(a)/Kp(b) (3856)	
<input type="checkbox"/> E/e (3852) <input type="checkbox"/> S/s (3866) <input type="checkbox"/> Do(a)/Do(b) (3870)	
<input type="checkbox"/> RhD Zygosity (Paternal Only) (3874)	
<b>Versiti Use Only</b>	
_____ EDTA _____ Clot	Opened By _____
_____ Amnio _____ CVS	Evaluated By _____
_____ Other _____	Reviewed By _____
	Labeled By _____

**Versiti does NOT bill patients or insurance. Test orders must be placed through a medical facility that has an account with Versiti.  
Client # required**

All samples must include sample identification clearly marked on **each** specimen container. Proper identification includes full name of individual, date obtained, hospital and/or patient identification number and the identification of the individual obtaining the specimen. Federal regulations mandate that a completed laboratory requisition form accompany each sample. Blood samples must be packaged to comply with requirements of mail or overnight courier service, if used.

**Shipping address:** Versiti Wisconsin - Immunohematology Reference Laboratory  
638 N. 18th Street  
Milwaukee, WI 53233  
Phone: (414) 937-6205

**Recommended tubes for collection -- Do not use tubes that contain a silicone separator gel:**

Plain red top vacutainers for clotted (serum) samples -- Lavender/Pink top vacutainer with EDTA anticoagulant

SPECIMEN REQUIREMENTS	
SUSPECTED SEROLOGIC PROBLEM	REQUESTED AMOUNT
<b>Warm Autoimmune Hemolytic Anemia</b> – IAT Positive with all panel cells tested and a positive DAT (1+ - 4+) *For patients under 20 kg body weight, sample requirements will be adjusted depending on communication with patient's physician.	<b>No transfusion within the past 3 months:</b> 24mL EDTA whole blood (lavender or pink top) AND 21mL clotted whole blood (red top) <b>Transfused within the past 3 months:</b> 5mL EDTA whole blood (lavender or pink top) AND 30mL clotted whole blood (red top)
ABO Antibody Titers	10mL EDTA whole blood (lavender or pink top) OR 10mL clotted whole blood (red top)
Crossmatch Problem Antibody Identification Transfusion Reaction	Antibody Confirmation Antibody Titration 5mL EDTA whole blood (lavender or pink top) AND 21mL clotted whole blood (red top)
DAT Negative Autoimmune Hemolytic Anemia Study	10mL EDTA whole blood (lavender or pink top) AND 21 mL clotted whole blood (red top)
Thermal Amplitude or Donath-Landsteiner Test	5mL EDTA whole blood (lavender or pink top) AND 21mL clotted whole blood (red top) tubes <b>prewarmed and maintained at 37°C during clotting and serum separated immediately</b>
Hemolytic Disease of the Newborn	Child – Cord blood sample (if available) Mother – 5mL EDTA whole blood (lavender or pink top) AND 21mL clotted whole blood (red top)
Drug-Dependent RBC Antibody Study (complete the medication history listed below)	5mL EDTA whole blood (lavender or pink top) AND 21mL clotted whole blood (red top) tubes AND <b>include a sample of each suspected drug</b>

MOLECULAR TESTS	REQUESTED AMOUNT
Rh D Discrepancy Analysis / Partial D Analysis	5mL EDTA whole blood (lavender or pink top)
Red Cell Genotyping Panel (44 Antigens)	5mL EDTA whole blood (lavender or pink top)
Prenatal Genotyping	<b>FETAL:</b> 7-15 mL Amniotic Fluid or 5-10 mg CVS <b>Backup Culture</b> (highly recommended): Two (2) T25 flasks Cultured Amniocytes or CVS (2 × 10 <sup>6</sup> minimum) <b>MATERNAL:</b> 3-5 mL EDTA whole blood for MCC (lavender top). <b>PATERNAL:</b> 3-5 mL EDTA whole blood

**MEDICATION** --- List all medications, prescription and non-prescription, taken in the past 30 days (include: aspirin, anticoagulants, oral contraceptives, or antibiotics)

Medication	Dose	Date Begun	Last Taken