Hemostasis Reference Lab

Phone: 800-245-3117 x6250 | Fax 414-937-6184



NOTE: Versiti does NOT bill patients or insurance. Test orders must be placed through a medical facility that has an account with Versiti. Client # required.

Ordering Institution Information	on			,					
Person Completing Requisition:			Physician/Provider:						
Institution:						CI	Client #:		
Dept:		Address	S:						
City:			State: Zip			Zip Code	Code:		
Phone (Lab):	ider Contac	t (phone/e	mail):						
Special Reporting Requests:						D(
Special Reporting Requests: Is testing for outpatient Medicare enrollee or Wisconsin Medicaid recipient? Yes No									
If yes, please complete the beneficia					it with th	nis requisi	ition.		
Patient Information									
Last Name:	Firs	st Name:			MI:		DOB:		
MR#:	Accession #:		Draw Date:				Draw Time:		
Biologic Sex/Sex Assigned at Bir	<u>l</u> th: □ Male □ Female	☐ Other	Clinica	l Il Diagnosis:					
Specimen Information									
Specimen Type:	☐ Citrated Plasma		□#	ч					
Test Orders			'						
		Bleedin	ng Disorde	's					
Hemophilia									
☐ Factor VIII Activity-Chromogenic	: (1135)			or VIII Activity Hepz					
☐ Factor VIII Inhibitor (1137)				or VIII Inhibitor Hep					
☐ Factor VIII Activity-Clot Based (1	081)		□ Fact	or VIII Activity Hepa	zyme Tre	eated-Clo	ot Based¹ (1082)		
Is the patient on emicizumab? [∃yes □ no		ls t	ne patient on emicia	zumab?	□ yes □	⊐ no		
☐ Porcine Factor VIII Inhibitor Prof	ile² (1086)		☐ Pore	ine Factor VIII Inhib	oitor Pro	file-Hep	zyme Treated² (1084)		
☐ Factor IX Activity (1091)			☐ Fact	or IX Activity-Hepzy	me Trea	ated1 (10	093)		
☐ Factor IX Inhibitor (1095)				or IX Inhibitor-Hepz		-	-		
von Willebrand Disease				, , , , , , , , , , , , , , , , , , ,	<u>, </u>		,		
Evaluations and Profiles:									
☐ VWD Diagnostic Panel ² (1850) F 6	ollows reflexive algorithm4		Г	J VWD Type 2B Eva	luation ²	(1067)			
☐ VWD Therapeutic Monitoring ^{2,3}	-	putic timina o		• • • • • • • • • • • • • • • • • • • •			79) Follows reflexive algorithm	n ⁴	
☐ Pre-DDAVP treatment ☐ Po				I VWD Type 2N Pro			, s, i onous rejiexive aigentiiii	•	
Individual Tests:	St DDAVI treatment 'B'N	, a		a v vvD Type Ziv Fio	, (10	00)			
□ VWF Antigen (1062)	□ V/WE Quantitative M	ultimor (106	:2\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/WF Collagen III Bin	ding (12	01)	□ \/\\/D Type 2N (1090)		
	VWF Antigen (1062)□ VWF Quantitative Multimer (1063VWF:GPIbM Activity¹ (1990)□ VWF Propeptide Antigen (1282)						□ VWD Type 2N (1089) □ VWF Inhibitor Panel (1050)		
		igeii (1202)		/WF Collagen IV Bin	iuiiig (12	200)	U VWF IIIIIbitoi Pallei (1030)		
☐ Anti-VWF Antibody IgG and IgM	(1036)								
Special Coagulation									
☐ Factor II Activity (1021) ☐ Factor VII Inhibitor							Activity (1121)		
☐ Factor II Inhibitor (1025)	☐ Factor X Activity (11			•			` '		
☐ Factor V Activity (1051)	☐ Factor X Inhibitor (1			•					
☐ Factor V Inhibitor (1055)	y (1111)	•			vity (1011)				
☐ Factor VII Activity (1071)	☐ Fact	or XI Inhibit	or (1115)						
		Clottin	g Disorder	S					
Thrombotic Microangiopathy									
Evaluation:									
☐ ADAMTS13 Evaluation ² (1295) F	ollows reflexive algorithm								
Individual ADAMTS13 Tests:									
☐ ADAMTS13 Activity (1298)	☐ ADAMT	S13 Inhibito	or (1297)		□ ADAN	/ITS13 Ai	ntibody (1299)		
Thrombophilia									
☐ Protein C Activity¹ (1031)	☐ Protein	S Activity ¹ (2	1041)		☐ Prote	in S Anti	igen Total & Free (1042)		
☐ Protein C Antigen (1033)		S Antigen Fr	-				- ,		
¹ For local STAT testing, please call 800-	245-3117, Option 1		32 (20 10)				VERSITI USE ONLY		
² See reverse side for assays included in	suggested evaluations/profile	S				FDTA	CITPACBDACDA		
³ If no therapeutic timing indicated, n/a									
⁴ Reflex testing already included in pane				Seru	mClot Other				
For genetic testing, please use		-				Opened l	by: Evaluated by:		
, gament tooming, produce duce		.,							

SUGGESTED EVALUATIONS AND PROFILES

ADAMTS13 Evaluation – Follows a reflexive algorithm. Activity is always performed. If </= 30%, inhibitor is performed. If inhibitor </= 0.7 inhibitor units, antibody is performed.

Porcine Factor VIII Inhibitor Profile includes Factor VIII Activity and Porcine Factor VIII Inhibitor, hepzyme treated if indicated by order.

VWD Diagnostic Panel Follows a reflexive algorithm, always includes: FVIII Activity, VWF Antigen, VWF:GPIbM Activity, and VWF Collagen III

Binding. Reflex testing when indicated will include: VWF Propeptide Antigen, VWF Quantitative Multimer, VWD Type 2N Binding and/or

VWD Type 2B Binding.

VWD Therapeutic Monitoring includes FVIII Activity, VWF Antigen and VWF:GPIbM Activity.

VWD Type 2B Evaluation includes VWD Type 2B Binding and VWF Quantitative Multimer.

VWD Type 2N Profile includes FVIII Activity, VWF Antigen, and VWD Type 2N Binding.

VWF Collagen Binding Profile includes VWF Antigen, VWF Collagen III Binding and VWF Collagen IV Binding. Reflex testing when indicated will include: VWF Quantitative Multimer.

SHIPPING INFORMATION

Blood samples should be shipped by overnight carrier. The package must be shipped in compliance with carrier's guidelines. Please contact your carrier for current biohazardous shipping regulations. Label Box: Refrigerate, Room Temperature, or Frozen (whichever is appropriate)

Packages should be addressed to:

Versiti Wisconsin – Client Services 638 N 18th Street Milwaukee, WI 53233

*See page 3 for sample requirements.

Hemostasis Reference Lab Assay Sample Requirements



Test Name	Required Volume	Accepted Sample Type	Shipping Temp.	Sample Notes
Fibrinogen Antigen (1508)	2 mL			
Anti-VWF Antibody IgG and IgM (1056)	0.5 mL			
VWF:GPIbM Activity (1990)	1 mL			
Protein C Activity (1031) Protein C Antigen (1033) Protein S Activity (1041) VWF Collagen III Binding (1281) VWF Propeptide Antigen (1282) VWF Antigen (1062) VWD Type 2N Binding (1089) VWF Quantitative Multimer (1063)	0.5 mL each		Frozen	Must be frozen within 4 hours of patient draw; critical non refrozen specimen required. Thawed, hemolyzed, and clotted samples are unacceptable.
Factor II Activity (1021) Factor V Activity (1051) Factor VII Activity (1071) Factor IX Activity (1091) Factor XII Activity (1111) Factor XII Activity (1121)	0.8 mL each			
Factor II Inhibitor Profile (1025) Factor V Inhibitor Profile (1075) Factor VII Inhibitor Profile (1055) Factor IX Inhibitor Profile (1095) Factor IX Inhibitor Profile (1125)	1.5 mL each	Citrated Plasma		
Protein S Antigen, Free (1043) Factor VIII Inhibitor (1137)	1.5 mL each	(Light blue		
Protein S Antigen, Total and Free (1042) VWF Inhibitor Panel (1050)	Two 1 mL aliquots each	top)		
Factor IX Inhibitor Profile - Hepzyme Treated (1094) Factor VIII Inhibitor – Hepzyme Treated (1138)	2 mL each			
VWF Collagen Binding Profile (1279)	Four 0.5mL aliquots			
VWD Type 2B Evaluation (1067)	One 0.5 mL aliquot and one 1 mL aliquot			
VWD Diagnostic Panel (1850)	Six 1 mL aliquots			
VWD Type 2N Profile (1088)	Three 0.5 mL aliquots			
VWD Therapeutic Monitoring (1230)	Three 1 mL aliquots			
Factor VIII Activity – Chromogenic (1135) Factor VIII Activity - Clot based (1081)	Two 0.5 mL aliquots each			
Factor VIII Activity Hepzyme Treated - Clot based (1082) Factor IX Activity - Hepzyme Treated (1093) Factor VIII Activity Hepzyme Treated – Chromogenic (1136)	Two 0.6 mL aliquots each			
ADAMTS13 Inhibitor (1297) ADAMTS13 Activity (1298) ADAMTS13 Antibody (1299)	0.5 mL each	Citrated Plasma (light blue top)	Frozen	Hemolyzed sample can be run with a disclaimer. Prefer that sample be frozen within 4 hours.
ADAMTS13 Evaluation (1295)	Three 0.5 mL aliquots			Whole blood is not acceptable.
Porcine Factor VIII Inhibitor Profile - Hepzyme Treated (1084) Porcine Factor VIII Inhibitor Profile (1086)	Two 1 mL aliquots each	Citrated Plasma (Light blue top)	Frozen	Must be frozen within 4 hours of patient draw; critical non refrozen specimen required. Thawed, hemolyzed, and clotted samples are unacceptable. Cannot be performed on samples from patients receiving emicizumab (Hemlibra) therapy.